| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------------|------|--|---|---------------------|---------|------------------|
| S1 | 1 | SCSI with SATA with (data near4 conver\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2005/08/03 10:17 |
| S2 | 0 | SCSI with SATA with (data near4 (modif\$5 or separat\$4 or divid\$4 or break\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR . | ON | 2005/08/03 10:17 |
| S3 | 0 | SCSI with SATA with data with (modif\$5 or separat\$4 or divid\$4 or break\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/03 10:17 |
| S4 | 12 | PCIwith SATA with data with (modif\$5 or separat\$4 or divid\$4 or break\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/03 10:18 |
| S5 | 0 | PCI with SATA with data with (modif\$5 or separat\$4 or divid\$4 or break\$4) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/03 10:18 |
| S6 | 1 | SCSI same SATA same (data with (modif\$5 or separat\$4 or divid\$4 or break\$4)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/03 10:18 |
| S 7 | 6146 | data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:05 |
| S8 | 48 | (data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) same (PCI or SCSI or SATA) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/08/03 10:23 |
| S9 | 0 | ("2005/0055480").URPN. | USPAT | OR | ON | 2005/08/03 10:23 |
| S10 | 675 | (data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) same ((hard adj disk\$2) or (hard adj drive\$2) or storage\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 13:33 |

| S11 | 323 | ((data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) same ((hard adj disk\$2) or (hard adj drive\$2) or storage\$2)) and g06f\$.ipc. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 13:33 |
|-----|-----|--|---|----|----|------------------|
| S12 | 40 | ((data with request\$4 with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) same ((hard adj disk\$2) or (hard adj drive\$2) or storage\$2)) and g06f\$.ipc. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 13:33 |
| S13 | 48 | (data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) same (((first and second) or different\$3) with protocol\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 13:33 |
| S14 | 705 | (data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) same ((hard adj disk\$2) or (hard adj drive\$2) or storage\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:01 |
| S15 | 336 | ((data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) same ((hard adj disk\$2) or (hard adj drive\$2) or storage\$2)) and g06f\$.ipc. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 13:33 |
| S16 | 43 | ((data with request\$4 with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) same ((hard adj disk\$2) or (hard adj drive\$2) or storage\$2)) and g06f\$.ipc. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 13:33 |
| S17 | 51 | (data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) same (((first and second) or different\$3) with protocol\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:07 |
| S18 | 998 | 710/5.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:00 |

| | | | | | | |
|-----|-------------|---|---|----|----|------------------|
| S19 | 334 | 710/6.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:00 |
| S20 | 391 | 710/29.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:00 |
| S21 | 193 | 710/30.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:00 |
| S22 | 675 | 710/33.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:00 |
| S23 | 309 | 710/35.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:00 |
| S24 | 776 | 710/36.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:01 |
| S25 | 319 | 710/60.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:01 |
| S26 | 386 | 710/58.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:01 |
| S27 | 3567 | S18 or S19 or S20 or S21 or S22 or S23 or S24 or S25 or S26 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:01 |
| S28 | 6395 | (data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:02 |

| | | · · · · · · · · · · · · · · · · · · · | , | | | |
|-----|-------------|--|---|----|----|------------------|
| S29 | 95 | S27 and S28 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:02 |
| S30 | 402 | (max\$7 or exceed\$4) same ((siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4)) same protocol\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:05 |
| S31 | 5851 | (first near3 protocol) same (second near3 protocol) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:04 |
| S32 | 19 | S30 and S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:04 |
| S33 | 4390 | ((siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4)) same protocol\$2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:05 |
| S34 | 247 | ((siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4)) same (S31 or sata or ide or scsi) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:05 |
| S35 | 11 | S34 and S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:05 |
| S36 | 6395 | data with (siz\$4 or length\$4 or amount\$4) with (modif\$5 or separat\$4 or divid\$4 or break\$4) with (transfer\$4 or transmi\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:06 |
| S37 | 95 | S36 and S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:06 |
| S38 | 1 | S17 and S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:06 |

| S39 | 4074 | (list or structure or memory) same | US-PGPUB; | OR | ON | 2005/11/01 15:09 |
|-----|------|--|---|----|----|------------------|
| | | (identifier\$2 or value\$2 or parameter\$2) same ((siz\$4 or length\$4 or amount\$4) near4 (modif\$5 or separat\$4 or divid\$4 or break\$4)) | USPAT; EPO; JPO; DERWENT; IBM_TDB | | | |
| S40 | 20 | S39 and S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:09 |
| S41 | 23 | S39 and S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:09 |
| S42 | 186 | S39 and (sata or ide or pci or scsi) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:10 |
| S43 | 270 | ((reduc\$5 or sav\$3) near2 memor\$3) and S27 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:11 |
| S44 | 2 | ((reduc\$5 or sav\$3) near2 memor\$3) and S27 and S31 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/11/01 15:11 |